SAFETY DATA SHEET



1. Identification

Product identifier Polymer Concrete Filler

Other means of identification None.

Recommended useInert quartz filler for resinous polymer compounds

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Armor Limited, Inc.

Address 2410 US-15 South, Sumter, SC 29150

After hours telephone

number

1-877-982-7667

Normal work hours

telephone number

1-877-982-7667

Website

www.armor-inc.com

E-mail

customerservice@armor-inc.com

Emergency 24-hour

telephone number

CHEMTREC North America: 800-424-9300, International: +1-703-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicit

Health hazards Carcinogenicity

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Obtain special

instructions before use. Do not handle until all safety precautions have been read and

Category 1

understood.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	100

4. First-aid measures

Inhalation Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. If

breathing is difficult, give oxygen. Get medical attention.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while Skin contact

removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash

contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 Eye contact

minutes. Get medical attention.

Ingestion Do not induce vomiting without advice from poison control center. Never give anything by mouth

to a victim who is unconscious or is having convulsions. Get medical attention.

Most important

symptoms/effects, acute and

delaved

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

medical attention and special treatment needed

Indication of immediate

IF exposed or concerned: Get medical advice/attention. Keep victim warm. Keep victim under

General information observation. Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Not available.

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

Specific methods

firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

Cool containers exposed to flames with water until well after the fire is out.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for

Not available.

containment and cleaning up **Environmental precautions**

Not available.

7. Handling and storage

Precautions for safe handling

Conditions for safe storage,

including any incompatibilities Do not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation.

Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 191 Components	10.1000) Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.

Material name: Polymer Concrete Filler

US. ACGIH Threshold Limit Values Components **Type** Value Form QUARTZ (CAS 14808-60-7) TWA 0.025 mg/m3 Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards Components Type

Value

0.05 mg/m3

Form

Respirable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

TWA

Appropriate engineering

QUARTZ (CAS 14808-60-7)

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles/face shield are recommended.

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10%

or more of this chemical.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment

to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Not available. Color Neutral Odor Odorless. **Odor threshold** Not available.

рH Not available. Melting point/freezing point Not available. Initial boiling point and

boiling range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity

Material name: Polymer Concrete Filler 5820 Version #: 02 Revision date: 10-21-2022 Issue date: 01-03-2020

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid None under normal conditions.

Strong oxidizing agents. Strong bases. **Incompatible materials**

Hazardous decomposition

products

Oxides of silicon.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause cancer by inhalation.

Not available. Skin contact

Eye contact Harmful in contact with eyes.

Symptoms related to the physical, chemical and

Not available. Not available.

toxicological characteristics

Ingestion

Information on toxicological effects

Not available. Acute toxicity Not available. Skin corrosion/irritation

Serious eye damage/eye

irritation

Harmful in contact with eyes. None known.

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization None known.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Hazardous by OSHA criteria. Occupational exposure to respirable dust and respirable crystalline Carcinogenicity

silica should be monitored and controlled. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon,

> SDS US 4/6

France.)

IARC Monographs. Overall Evaluation of Carcinogenicity

OUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

US. National Toxicology Program (NTP) Report on Carcinogens

OUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity Not classified. Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

Not available.

- repeated exposure

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Material name: Polymer Concrete Filler 5820 Version #: 02 Revision date: 10-21-2022 Issue date: 01-03-2020 Persistence and degradabilityNot available.Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code
Waste from residues /

Contaminated packaging

Not applicable. Not available.

unused products

No special precautions.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7) Cancer

lung effects

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Carcinogenicity

categories

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

5820 Version #: 02 Revision date: 10-21-2022 Issue date: 01-03-2020

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

QUARTZ (CAS 14808-60-7)

California Proposition 65

California Proposition 65 - CRT: Listed date/Carcinogenic substance

OUARTZ (CAS 14808-60-7) Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

01-03-2020 Issue date **Revision date** 10-21-2022

Version # 02

Further information HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 2 Flammability: 0 Instability: 0

References **ACGIH**

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Physical States

Hazard(s) identification: Supplemental information

GHS: Classification

Material name: Polymer Concrete Filler 5820 Version #: 02 Revision date: 10-21-2022 Issue date: 01-03-2020 SDS US