### SAFETY DATA SHEET



### 1. Identification

**Product identifier FURALAC™ GREEN PANEL POWDER** 

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** Armor Limited, Inc.

2410 US-15 South, Sumter, SC 29150 **Address** 

1-877-982-7667

1-877-982-7667

After hours telephone

number

**Normal work hours** 

telephone number

Website

www.armor-inc.com

customerservice@armor-inc.com E-mail

**Emergency 24-hour** telephone number

Information on operation

hours

CHEMTREC North America: 800-424-9300, International: +1-703-527-3887

# 8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

Not classified. **Physical hazards** 

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Causes skin irritation. Causes serious eye damage.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection.

Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap Response

and water. Specific treatment (see this label). If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

**Storage** Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Calcined Petroleum Coke	COKE, (PETROLEUM), CALCINED	64743-05-1	<= 100
Material name: FURALAC™ GREEN PA	ANEL POWDER		SDS US

Chemical name	Common name and synonyms	CAS number	%
SULPHAMIDIC ACID		5329-14-6	1 - 10
p-Toluenesulfonic acid		104-15-4	< 1
Other components below report	able levels		< 1

### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Wash with plenty of soap and water. Remove contaminated clothing. Wash contaminated clothing Skin contact

before reuse. If skin irritation occurs: Get medical advice/attention.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove Eye contact

contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Severe eve irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

**Indication of immediate** medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form	
Calcined Petroleum Coke (CAS 64743-05-1)	TWA	3 mg/m3	Nuisance dust	
		2 mg/m3	Respirable dust	

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Wear suitable gloves and eye/face protection.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. For emergency conditions, use an approved positive-pressure

self-contained breathing apparatus (SCBA).

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

#### **Appearance**

Solubility(ies)

Solubility (water)

**Physical state** Solid. Powder. **Form** Color Not available. Not available. Odor Odor threshold Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available. boiling range Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits **Explosive limit - lower** Not available. (%)**Explosive limit - upper** Not available. (%) Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Material name: FURALAC™ GREEN PANEL POWDER

Insoluble

5195 Version #: 02 Revision date: 10-10-2024 Issue date: 11-02-2022

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

### 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Dust may irritate respiratory system. Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

**Acute toxicity** Not known.

Product Species Test Results

FURALAC™ GREEN PANEL POWDER

Acute Inhalation

LC50 Rat 17350000 mg/l, 1 Hours

Components Species Test Results

p-Toluenesulfonic acid (CAS 104-15-4)

Acute Oral

LD50 Rat 400 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: FURALAC™ GREEN PANEL POWDER
5195 Version #: 02 Revision date: 10-10-2024 Issue date: 11-02-2022

# **US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

Not classified.

- repeated exposure

**Aspiration hazard**Not likely, due to the form of the product. **Chronic effects**Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

FURALAC™ GREEN PANEL POWDER

**Aquatic** 

Acute

Fish LC50 Fish 358.5124 mg/l, 96 hours estimated

Components Species Test Results

SULPHAMIDIC ACID (CAS 5329-14-6)

Aquatic Acute

Fish LC50 Fat

Fathead minnow (Pimephales promelas) 14.2 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** Potential to bioaccumulate is low. **Mobility in soil** Not expected to be mobile in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**Transport in bulk according to** Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

Material name: FURALAC™ GREEN PANEL POWDER

### **Toxic Substances Control Act (TSCA)**

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

**Classified hazard** Skin corrosion or irritation

categories Serious eye damage or eye irritation

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

### **US state regulations**

### **California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

**Issue date** 11-02-2022 **Revision date** 10-10-2024

Version # 02

5195 Version #: 02 Revision date: 10-10-2024 Issue date: 11-02-2022

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**NFPA ratings** Health: 3

Flammability: 0
Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

**Revision information** Hazard(s) identification: Response

Composition/information on ingredients: Composition comments Composition/information on ingredients: Component information

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Toxicological information: Carcinogenicity Regulatory information: California Proposition 65

GHS: Classification

Material name: FURALAC $^{\text{\tiny{TM}}}$  GREEN PANEL POWDER

5195 Version #: 02 Revision date: 10-10-2024 Issue date: 11-02-2022