## SAFETY DATA SHEET



#### 1. Identification

Product identifier 6710 Resin (All Colors)

Other means of identification None.

**Recommended use** Epoxy binding resin for 2 or 3 component catalyzed epoxy mixtures

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Armor Limited, Inc.

Address 2410 US-15 South, Sumter, SC 29150

After hours telephone

number

Normal work hours

Normal work hours telephone number 1-877-982-7667

Website

www.armor-inc.com

1-877-982-7667

**Emergency 24-hour** 

telephone number

CHEMTREC North America: 800-424-9300, International: +1-703-527-3887

Information on operation

hours

E-mail

8:00 a.m. to 5:00 p.m.

customerservice@armor-inc.com

## 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Germ cell mutagenicity Category 2
Hazardous to the aquatic environment, Category 3

long-term hazard

**OSHA defined hazards** Not classified.

Label elements

**Environmental hazards** 



Signal word Warning

**Hazard statement** Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Suspected

of causing genetic defects. Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear protective

gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not

be allowed out of the workplace. Wash thoroughly after handling. Avoid release to the

environment.

**Response** Specific treatment see Section 4 of this SDS. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: 6710 Resin (All Colors)
6798 Version #: 06 Revision date: 06-21-2023 Issue date: 04-25-2019

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER	₹	28064-14-4	70 - 90
OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]-		2210-79-9	1 - 20
BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN		25068-38-6	1 - 10
OXIRANE, MONO[(C12-14-ALKYLOXY)METHY ] DERIVS.	<u>L</u>	68609-97-2	1 - 10

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a POISON CENTER or doctor/physician.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema

or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open Eye contact

eyelids widely. If irritation persists: Continue flushing during transport to hospital. Take along

these instructions.

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. **Ingestion** 

If swallowed, do NOT induce vomiting. Never give anything by mouth to a victim who is

unconscious or is having convulsions. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

**Indication of immediate** medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

May cause an allergic skin reaction. Dermatitis. Rash. May cause eye irritation. Skin irritation.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware

of the material(s) involved, and take precautions to protect themselves. Wash contaminated

clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

**Special protective equipment** and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Irritating and/or toxic gases may be emitted upon the products decomposition.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers close to fire should be

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

removed or cooled with water.

Material name: 6710 Resin (All Colors) 6798 Version #: 06 Revision date: 06-21-2023 Issue date: 04-25-2019

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid eating, drinking and smoking when using the product. Avoid heat, sparks, open flames and other ignition sources. Provide easy access to water supply and eye wash facilities.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Keep out of the reach of children.

## 8. Exposure controls/personal protection

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Impervious gloves.

**Other** Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10%

or more of this chemical.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment

to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid.

Form Not available.
Color Not available.
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

6798 Version #: 06 Revision date: 06-21-2023 Issue date: 04-25-2019

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point

200.0 °F (93.3 °C) estimated **Evaporation rate** Not available.

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Vapor pressure

Not available.

0.05 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 9.90 lb/gal Specific gravity 1.19 @25°C VOC 3.2 % estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials. Moisture.

**Incompatible materials** Strong oxidizing agents. Strong acids. Alkalis. Peroxides. Strong bases. Amines.

**Hazardous decomposition** 

products

Smoke, carbon dioxide and carbon monoxide. Aldehydes. Phenolics.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage. **Ingestion** May be harmful if swallowed.

Symptoms related to the

Not available.

physical, chemical and toxicological characteristics

# Information on toxicological effects

**Acute toxicity** 

**Components Species Test Results** 

OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]- (CAS 2210-79-9)

**Acute Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Material name: 6710 Resin (All Colors) 6798 Version #: 06 Revision date: 06-21-2023 Issue date: 04-25-2019 Skin corrosion/irritation
Serious eye damage/eye

irritation

Not available. Not available.

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** May cause an allergic skin reaction. **Germ cell mutagenicity** Suspected of causing genetic defects.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Not available. **Specific target organ toxicity** Not available.

- single exposure

Specific target organ toxicity

- repeated exposure

Not available.

**Aspiration hazard** Not available.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Product Species Test Results

6710 Resin (All Colors)

**Aquatic** 

Crustacea EC50 Daphnia 108, 48 hours
Fish LC50 Fish 60, 96 hours

Components Species Test Results

PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER (CAS 28064-14-4)

**Aquatic** 

Acute

Fish LC50 Fish > 1 - < 10 mg/l

**Persistence and degradability** No data is available on the degradability of this substance.

**Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]- 2.16

**Mobility in soil** Not available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Dispose of waste and residues in accordance with local authority requirements. Empty containers

or liners may retain some product residues. Waste packaging should be recycled. Contract with a licensed chemical disposal agency. DO NOT pressurize, cut, heat, or weld containers; they may explode and cause injury or death. Empty product containers may contain product residue. DO NOT reuse empty containers without commercial cleaning or reconditioning. All containers should

be disposed of in an environmentally safe manner and in accordance with governmental

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

#### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Recycle empty drums at an appropriate facility in accordance with current applicable laws and regulations, and product characteristics at time of disposal. Ensure drums are tightly sealed.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### **IATA**

**UN number** UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLOROHYDRIN) EPOXY

RESIN

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 9L

**Special precautions for** Not available.

user

Other information

**Passenger and cargo** 

aircraft

Allowed with restrictions.

Not available.

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

**UN number** UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL

A-(EPICHLOROHYDRIN) EPOXY RESIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards


Marine pollutantYesEmSF-A, S-FSpecial precautions forNot available.

usei

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

.... ....



#### Marine pollutant



6798 Version #: 06 Revision date: 06-21-2023 Issue date: 04-25-2019

### 15. Regulatory information

#### **US federal regulations**

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**SARA 302 Extremely hazardous substance** 

Not listed.

SARA 311/312 Hazardous Yes

chemical

**Classified hazard** Skin corrosion or irritation

**categories** Serious eye damage or eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### **International Inventories**

Country(s) or region	Inventory name On inventory (ye	:s/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** IIV II I I I I I		

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### 16. Other information, including date of preparation or last revision

**Issue date** 04-25-2019 **Revision date** 06-21-2023

Version # 06

Material name: 6710 Resin (All Colors)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**NFPA** ratings Health: 2

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Transport Information: Material Transportation Information **Revision information** 

Material name: 6710 Resin (All Colors) SDS US 8/8